

APC Back-UPS Connect 12Vdc 36W, lithium-ion, mini network ups to protect internet routers, IP cameras and more

CP12036LI

#### Overview

Lead time Usually in Stock

#### Main

Main Input Voltage	12 V DC
product or component type	Uninterruptible power supply (UPS)
Main Output Voltage	12 V DC
Battery type	Li-lon (Lithium-lon)

### Complementary

Number of tare power 2 W

#### **Batteries & Runtime**

Battery recharge time 9

## **Physical**

Colour	White
Width	99 mm
Depth	109 mm
net weight	300 g
mounting mode	Not rack-mountable
Height	25 mm

## **Output**

Maximum configurable power in W	36 W
Output voltage	12 V

#### **Conformance**

product certifications	CE	
Standards	CE	-
	EN/IEC 61000-4-8	
	EN/IEC 61000-4-2	
	EN/IEC 62368-1	

#### **Environmental**

ambient air temperature for operation	040 °C
Relative humidity	095 %
Operating altitude	010000 ft
ambient air temperature for storage	-1050 °C
Storage altitude	05000 m
IP degree of protection	< IP20

# **Packing Units**

•	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	3.300 cm
Package 1 Width	11.500 cm
Package 1 Length	16.300 cm
Package 1 Weight	366.000 g
Unit Type of Package 2	S02
Number of Units in Package 2	10
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.900 kg
SCC14	10731304632396

## **Logistical informations**

Country of origin CN

## **Contractual warranty**

Warranty 24 months

## Sustainability

**Green Premium<sup>TM</sup> label** is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

Learn more about Green Premium >

## Well-being performance




Image of product / Alternate images

**Alternative** 









