

DONN15G 12-in-1 USB 3.2 Gen 1 Docking Station, MST for Windows, HDMI x 2, VGA, USB-C 5Gbps, USB-A 3.0 x 2, USB-A 2.0, SD, TF/MicroSD, Audio, GbE, 100W USB PD

Product Images





USB-C DP Alt mode(DP1.4)MST

Item	Single video output	Dual video output	Triple video output
HDMI 1	3840 x 2160/30Hz	1920 x 1080/60Hz	1920 x 1080/60Hz
HDMI 2	3840 x 2160/30Hz	1920 x 1080/60Hz	1920 x 1080/60Hz
VGA	1920 x 1080/60Hz	1920 x 1080/60Hz	1920 x 1080/60Hz

Short Description

- 12-in-1 USB-C to HDMI/VGA/USB-C PD/USB-C data/USB 3.0/USB 2.0/SD/TF/GbE/AUX multiport adapter
- Triple display
- Supports HDMI resolution up to 4K 30Hz
- Supports VGA resolution up to 1080P 60Hz
- Supports VGA & HDMI simultaneously
- Supports USB Power Delivery (PD) up to 100W
- Provides a Gigabit Ethernet port with speeds up to 1000Mbps
- Supports Wake-on-LAN feature to startup computers remotely
- Display modes : extended, mirror
- Supports MST mode (for Windows only)
- USB 3.2 Gen 1 SuperSpeed (5Gb/s)
- 3.5mm audio combo jack
- Multi-platform support: Windows, macOS, ChromeOS
- Simple Plug and Play installation
- Cable length: 25cm

Description

This 12-in-1 docking station makes it possible to expand your device's USB Type-C capacity with HDMI/VGA/USB-C PD/USB-C data/USB 3.0/USB 2.0/SD/TF/GbE/AUX ports. The adapter provides an easy way to add HDTV, or equipment such as a monitor or projector to any USB-C device such as a smartphone, portable gaming console, MacBook, Chromebook Pixel or any similar late-model laptop with USB-C ports. The multiport video adapter lets you mirror or extend content on three additional monitors simultaneously (2 x HDMI, 1 x VGA), creating a triple-screen workstation.

Multi Stream Transport, or MST, is a means of connecting one or more monitors together via a single display port. This technology makes it possible to connect say, three monitors to a laptop, using a docking station. This works by combining multiple video signals into one single stream and then 'unpacking;' them again on the display side. MST works on any Windows® device that supports DP Alt Mode (DisplayPort Alternate Mode), using USB-C.

Perfect for home entertainment, office presentations and classroom teaching.

Additional Information

Color	Grey
EAN	4015867229132
Model Number	DONN15G
Compatible operating systems	Windows XP/Vista/7/8/10 MacOS 10.5 or above Android 5.0 or above
Package Contents	DONN15G Multilingual quick installation guide
Cable length	25cm
Dimensions (W x D x H)	141 x 58.3 x 16 mm
Product weight (kg)	0.115
USB Power Delivery (PD)	PD 3.0 (100W)
Connector	USB-C male
HDMI version	1.4
Port Configuration	HDMI x 2, VGA x 1, USB-C PD x 1, USB-C Data x 1, USB 3.0 x 2, USB 2.0 x 1, SD x 1, MicroSD/TF x 1, Gigabit LAN x 1, Audio x 1
Power supply included	No
Resolution	4K 30Hz Single display, 1080P 60Hz Dual display, 1080P 60Hz Triple display
Types of ports	USB-A, USB-C, SD, microSD, HDMI, VGA, Gigabit Ethernet, 3.5mm audio in/out, USB-C PD
USB Version (Speed)	USB 3.2 Gen1 (5Gbps)

