

## NT 22/1 AP TE L

Perfect for tradespeople: NT 22/1 Ap wet and dry vacuum cleaner with power outlet (with auto-start feature), strong suction power and semi-automatic cleaning system. Compact, lightweight entry-level device.



**Order no.** 1.378-982.0

- Efficient semi-automatic filter cleaning
- Socket with automatic start-up for electric tools
- Moisture-resistant PES cartridge filter

### Technical data

<b>EAN code</b>		4054278740799
<b>Supply voltage</b>	<b>Ph / V / Hz</b>	1 / 220 - 240 / 50 - 60
<b>Air flow</b>	<b>l/s</b>	72
<b>Vacuum</b>	<b>mbar / kPa</b>	249 / 24.9
<b>Container content</b>	<b>l</b>	22
<b>Container material</b>		Plastic
<b>Rated input power</b>	<b>W</b>	1300
<b>Standard nominal width</b>		ID 35
<b>Cable length</b>	<b>m</b>	6
<b>Sound pressure level</b>	<b>dB(A)</b>	72
<b>Weight without accessories</b>	<b>kg</b>	6.2
<b>Weight incl. packaging</b>	<b>kg</b>	8.6
<b>Dimensions (L × W × H)</b>	<b>mm</b>	380 × 370 × 480

### Equipment

<b>Suction hose</b>	<b>m</b>	1.9 / with bend
<b>Suction tube</b>	<b>piece(s) × m</b>	2 × 0.5 / Metal
<b>Filter bag</b>	<b>piece(s)</b>	5 / Fleece
<b>Crevice nozzle</b>		■
<b>Power tool connection adapter</b>		■
<b>Automatic switch-on/off for electric devices</b>		■
<b>Cartridge filter</b>		PES
<b>Filter cleaning</b>		Semi-automatic filter cleaning Ap
<b>Protection class</b>		I
<b>Stop swivel castor</b>		■

■ Included in the scope of supply.



### Low weight and compact dimensions

- The machine can be easily and conveniently transported and stored.



### Semi-automatic filter cleaning

- Semi-automatic filter cleaning effectively ensures constant high suction power.



### Moisture-resistant PES cartridge filter

- It is possible to change from wet to dry vacuum cleaning easily without having to dry the PES cartridge filter first.

## ACCESSORIES FOR NT 22/1 AP TE L

### 1.378-982.0



		Order no.	Description	
<b>FILTER BAGS</b>				
<b>Fleece filter bags</b>				
Fleece filter bags, 5 × , NT 22/1	1	2.889-217.0	Fleece filter bag, tear-resistant, for NT 22/1 Ap and NT 22/1 Ap Te machines. Dust class-L-certified.	■
<b>CARTRIDGE FILTER, STANDARD, UP TO BIA C, DUST CLASS M</b>				
<b>Cartridge filter PES</b>				
Cartridge filter packaged PES	2	2.889-219.0	Moisture-resistant PES cartridge filter for wet and dry vacuum cleaning. Dust class L-certified.	■
<b>BENDS</b>				
<b>Bend, plastic</b>				
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	3	2.889-199.0	DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	■
Bend with air-flow regulator, T, DN 35, plastic, antistatic, clip 2.0 at hose end, cone at accessory end	4	2.889-148.0	Antistatic, ergonomic bends with air-flow regulator in size DN 35 for dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, electrically conductive, clip 2.0 at hose end, cone at accessory end	5	2.889-168.0	Electrically conductive, ergonomic plastic bend in size DN 35 for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
Bend, NT, DN 35, plastic, clip 2.0 at hose end, cone at accessory end	6	2.889-170.0	Ergonomic DN 35 plastic bend for wet and dry vacuum cleaners. Equipped with a clip 2.0 connection at the hose end and a cone connection at the accessory end.	□
<b>SUCTION NOZZLES</b>				
<b>Floor nozzles</b>				
Wet/dry floor nozzle with parking hook, DN 35, 300 mm	7	2.899-811.0	DN 35 plastic wet/dry floor nozzle with side rollers and parking hook. No tools required to change brush strips and squeegees using a clip. Working width 300 mm.	■
Wet/dry floor nozzle, advanced plastic, DN 35	8	2.889-152.0	360 mm wide wet and dry floor nozzle with easy-to-change inserts. Including brush strips and squeegees.	□
<b>Crevice nozzles</b>				
Crevice nozzle, DN 35, plastic, 225 mm	9	2.889-159.0	Crevice nozzle with nominal width DN 35 for Kärcher dry vacuum cleaners and wet and dry vacuum cleaners. Length 225 mm.	■
<b>Car cleaning nozzles</b>				
Car nozzle, DN 35, 90 mm	10	6.906-108.0	Flat angled, convenient, plastic, DN 35 car cleaning nozzle designed for all Kärcher wet and dry vacuum cleaners with bends. Working width: Approx. 90 mm.	□
<b>SUCTION TUBES</b>				
<b>Suction tubes, metal</b>				
Suction tube, chrome-plated	11	6.902-074.0	Suction tube, metal, chrome-plated, NW 35. Length: 0.5 metres.	■
<b>Suction tubes, plastic</b>				
Suction tube set	12	2.889-218.0	Plastic suction tube set, NW 35, grey, 2 -part, each 0.5 metres.	□
<b>CONNECTING SLEEVES</b>				
<b>Connection adapter for power tools, clip-on, electrically conductive</b>				
Tool collar DN 35, clip-on	13	2.889-151.0	Tool adaptor with a rubber fixture and airflow control slide for the new clip system. Suitable for all current electric tools.	■
<b>Connection adapter C ID (clip to cone)</b>				
Adapter clip DN 35 on cone DN 35	14	5.407-005.0	Adapter clip system DN 35 for connecting suction tubes and small nozzles to cone DN 35. Perfect for vehicle interior cleaning, even without the connection of other nozzles.	□

■ Included in the scope of supply. □ Available accessories.

## ACCESSORIES FOR NT 22/1 AP TE L 1.378-982.0



		Order no.	Description	
<b>SUCTION HOSES</b>				
<b>Suction hoses with clip system 2.0 (compatible with vacuum cleaners from model year 2017 on)</b>				
Suction hose, NT, DN 35, length 2.5 m, clip 2.0, bayonet 2.0	15	2.889-134.0	The suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Suction hose, NT, DN 35, length 2.5 m, electrically conductive, clip 2.0, bayonet 2.0	16	2.889-136.0	The electrically conductive suction hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners.	<input type="checkbox"/>
Extension hose, T and NT, DN 35, length 2.5 m, clip 2.0, connecting adapter	17	2.889-145.0	The extension hose in nominal width DN 35 and with 2.5 m length is suitable for use with wet and dry vacuum cleaners and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
<b>OTHER ACCESSORIES NT</b>				
Drilling dust nozzle	18	2.679-000.0	Drilling dust nozzle for dust-free vacuuming of boreholes. Suitable for dry and wet and dry vacuum cleaners from Kärcher.	<input type="checkbox"/>
Adapter clip new on clip old DN 35	19	2.889-312.0	Adapter for connection of hoses of the new accessory system of dry and wet and dry vacuum cleaners to bends or extension hoses of the old system. For nominal width DN 35.	<input type="checkbox"/>

■ Included in the scope of supply.    Available accessories.    Detergents.